Work Orde		84		*916	84*						Page 1	
Item ID: Revision ID:	D3186-4	-	A	Accept *N900040100* Setup Sta								
Item Name:	Spacepod Door	, RH							Stop	*N:	S2*	
Start Date: Required Date:	10/15/12 11/05/12	Start Qty: 1.00 Req'd Qty: 1.00	*1* *1*		Cust Item ID Customer:) :						
Reference: Approvals:		i: MLJ		Tooling: SPC (Y/N):	Dat	te:		R	tun Star Stop	VIV	R1* R2*	
Sequence ID/ Work Center II		Operation Description		Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp	
Draw Nbr	Revi	sion Nbr										_
D3186	Rev	Е										
*1 \\ \tag{*1} \\ \tag{*2} \tag{*3} \\ \tag{*3} \\ \tag{*3} \\ \tag{*3} \\ \tag{*4} \\ \ta			or to fit spacepod before drill b 6 (D3186-4 detail)	0.00 0.00 noles and cut out slots for	latch as per	Ç,	7 0	FT-	13-0	3-/8	. <u> </u>	
*110 *110* QC Quality Control		QC5- Inspect part com Memo	pleteness to step on W/O	0.00 PAS 0.00 16	3/03/19							
*120 *120* Packaging Packaging		Identify as per dwg & s	Stock Location:	0.00) 13-03-	19					·	

											DQA:	Date:	
NCR:	Yes	/ No				WORK ORDER NON-	COI	NFORM	MANCE / UPDATE		OA Clasadi	Data	
							1				QA Closed:	Date	
Work Ord	۰					DISPOSITION			AGAINS	T DE	PARTMENT	PROCESS	
Work Ord	er. –					Rework	7		Skid-tube Crosstub	٦		Water Jet	Engineering
Part l	Nο					Scrap	1		Machining Small Fa	—	Pro	d. Eng. Coor.	Quality
(uit	-		,			Use-as-is	1	i .	noforming Finishin	_		e/Packaging	Other
NCR	No.					Work Order Update	1		Large Fab Composit	_	,	Supplier	1 1
Root			'		Descri	ption of work order update		Initial	Action		Sign &		
Cause		Date	Step	Qty		or Non-conformance	Ch	nief Eng	Description		Date	Verification	QC Inspector
Doc/Data	Ш												
Equip/Tooling	Ш												
Operator	Ш												
Material	Ш												
Setup	Ш												
Other	Н												
Process	Н								·				
Supplier	Н												
Training	Н						-						
Unapproved	L		<u> </u>	<u> </u>	<u> </u>		<u> </u>	T CATE	CORV		<u>L</u>		
Landi	na G	025				General	AUI	LICAIE	GORT				
Landi		Bending			Г	Bend	Г	Grain			Ovalized	Γ	Pressure/Forced
	_	Centre No	nt Concei	ntric to		BOM/Route	\vdash	Hardwa	re	\vdash	Over/Under	tolerance	Temperature/Cure
	$\overline{}$	Cracks	or contect	ici ic to	~'` `	Broken/Damaged	\vdash	1	on Incomplete		Part Incorre	. –	Weld
	-	Crushed/	Crimped		<u> </u>	Burrs	\vdash	-1	ions Incomplete/Unclear	\vdash	Part Lost/Mi	<u> </u>	Wrong Stock Pulled
	\vdash	Cuffs	p = 0.			Contamination		Mainte	•		Part Moved	· L	
					-	Countersink		Mislaheled			Positioned V	Vrong	

Misread

Out of Calibration

Out of Sequence

Outside Dimensions

Offset

Power Loss/Surge

Other

Ripples in Bend

Turning Sequence

Wave/Twist in Tube

Inspection Strip in Tube

Torque Waves in Extrusion

Cut Too Short Drill Holes

Drawing

Finish

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Order ID 91684 *91684* Page 2 October-15-12 10:30:46 AM Item ID: D3186-4 Accept *N900040100* Setup Start **Revision ID:** Stop **Item Name:** Spacepod Door, RH Start Qty: 1.00 **Start Date:** 10/15/12 **Cust Item ID:** Required Date: 11/05/12 Req'd Qty: 1.00 **Customer:** Reference: Run Approvals: Process Plan: Date: **Tooling:** Date: Stop QC: Date: SPC (Y/N): Date: Sequence ID/ Operation Tool ID Tool # Plan Reject Reject Set Up/ Accept Insp. Qty Number Stamp Work Center ID Description Code Qty **Run Hours** 130 QC21- Final Inspection - Work Order Release 0.00 *130* MUJ 13-03-20 MF 13-3-20 0.00 Memo Quality Control

												DQA:	Da	ate:	
NCR:	Yes	/ No				WORK ORDER NON-O	100	NFORM	AANCE / UP	DATE					
												QA Closed:	Da	ate:	
Work Orde	or:					DISPOSITION				AGAINST	DE	PARTMENT,	PROCESS		
VVOIK OIU	٠.					Rework	7		Skid-tube	Crosstube	7		Water Jet	·	Engineering
Part N	Vo.					Scrap			Machining	Small Fab	\dashv	Pro	d. Eng. Coor	-	Quality
						Use-as-is	1	ł	noforming	Finishing		i	re/Packaging	-	Other
NCR 1	No.					Work Order Update			Large Fab	Composite			Supplie	r	
Root					I	iption of work order update	1	Initial		ction		Sign &			
Cause		Date	Step	Qty		or Non-conformance	Cr	nief Eng	Des	cription		Date	Verification	on '	QC Inspector
Doc/Data			<u> </u>				Ì				1				
Equip/Tooling															
Operator															
Material	Ш				<u> </u>										
Setup			<u> </u>												
Other													1		
Process															
Supplier															
Training			ľ												
Unapproved															
						F	AUI	LT CATE	GORY						
Landi	ng (Gear	-			General		_				_			_
		Bending				Bend		Grain				Ovalized			Pressure/Forced
		Centre No	ot Conce	ntric to	o/s	BOM/Route		Hardwa	re			Over/Under	tolerance		Temperature/Cure
		Cracks				Broken/Damaged		Inspecti	on Incomplete			Part Incorre	ct		Weld
		Crushed/	Crimped			Burrs		Instruct	ions Incomplete	/Unclear		Part Lost/M	issing		Wrong Stock Pulled
Cuffs						Contamination		Maintenance				Part Moved			_

Mislabeled

Out of Calibration

Out of Sequence

Outside Dimensions

Misread

Offset

Positioned Wrong

Power Loss/Surge

Other

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Heat Treat

Inspection Strip in Tube

Torque Waves in Extrusion

Countersink

Cut Too Short

Drill Holes

Drawing

Finish

Folio

October-15-12 10:30:46 AM

Work Order ID:

91684

Parent Item:

D3186-4

Parent Item Name:

Spacepod Door, RH

Start Date: 10/15/12

Required Date: 11/05/12

Start Qty: 1.00

Required Qty: 1.00

Comments:

IPP Rev:A New Issue 07-01-11 EC

IPP rev.B revD 07.03.07 ec

IPP Rev:C 10-08-11 added trim


	door before drilling	DD verf:EC											
Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3186-2M SPACEPOD DOOR RH		Manufactured	No		9	1704	Each	1.0000	1	Z T	13-	03	01
				Location		Loc Oty	<u>Lo</u>	c Code					
				CA		1							
				7540	53	1							

NCR:	Yes	/	No	


NCR: Ye	es / No)			WORK ORDER NON-	COI	NFORM	MANCE / UP	DATE	QA Closed:	Date:		
Vork Orde	r:			······································	DISPOSITION				AGAINST DE		PROCESS		
Part No.			Rework Scrap Use-as-is		Skid-tube Crosstube Machining Small Fab Thermoforming Finishing			_i	Water Jet d. Eng. Coor. re/Packaging	Engineering Quality Other			
NCR N	o				Work Order Update			Large Fab	Composite	Supplier			
Root				Descr	ription of work order update		Initial	Ac	tion	Sign &			
Cause	Date	Step	Qty		or Non-conformance	Cr	nief Eng	Desc	ription	Date	Verification	QC Inspector	
oc/Data											•		
uip/Tooling													
perator													
aterial			İ										
etup													
ther											-		
ocess													
upplier						1							
raining										,			
napproved						-							
						FAUL	LT CATE	GORY				·- ·	
Landin	g Gear				General							_	
ſ	Bendin	g		Γ	Bend		Grain			Ovalized		Pressure/Forced	
Ī	Centre	Not Conce	entric to	o/s ⁻	BOM/Route		Hardwa	ire		Over/Under	tolerance	Temperature/Cure	
	Cracks				Broken/Damaged		Inspect	ion Incomplete		Part Incorre	ct	Weld	
	Crushe	d/Crimped	l <u>.</u>		Burrs		Instruct	ions Incomplete/	'Unclear	Part Lost/M	issing	Wrong Stock Pulled	
Γ	Cuffs				Contamination		Mainte	enance		Part Moved		1	
ľ	Heat T	reat		Γ	Countersink		Mislabe	eled		Positioned V	Vrong		
T	Inspec	tion Strip ii	n Tube		Cut Too Short		Misread	t		Power Loss/	Surge	Other	
ľ	 1 '	in Bend			Drill Holes		Offset		L	·		•	
ľ	⊣ ''	Waves in	Extrusio	n ·	Drawing		Out of	Calibration					
<u> </u>		g Sequence		<u> </u>	Finish		Out of :	Sequence					
	be		Folio		Outside	Dimensions							

DQA:


Date:



91684



D3186-2 SPACEPOD DOOR, RH MAKE FROM D3186-2M



D3186-4 SPACEPOD DCOR, RH MAKE FROM D3186-2M

В

Α

NOTES: 1) MATERIAL: N/A


2) FINISH: N/A

2) FINISH: NIA
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE

7) WEIGHT: N/A

DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DESIGN DRAWN RF CHECKED DRAWING NO. REV. E MFG. APPR. D3186 SHEET 2 OF 5 APPROVED TITLE DE APPR. SPACEPOD DOOR COPYRIGHT © 2003 BY DART AEROSPACE LTD DATE 09.07.08

MAIN LAYUP 9 OZ SATIN (9 SQ FEET) 9 OZ SATIN (9 SQ FEET) FOAM 9 OZ SATIN (9 SQ FEET) 12 OZ UNIDIRECTIONAL 9 OZ SATIN (9 SQ FEET) RESIN (35-45% BY WEIGHT) PEEL PLY



D3186-1M SPACEPOD DOOR AS MOLDED

NOTES: 1) MATERIAL:

D

С

В

Α

RESIN = EPOCAST 50-A/9816 OR DERAKANE 470-36/411/510A40

FOAM = 3/8", A500 CORE-CELL OR DIVINYCELL OR AIREX OR KLEGECELL

FIBRE = 9.7 OZ 7781 WEAVE "S" GLASS ("9 OZ SATIN")

12 OZ UNIDIRECTIONAL FIBERGLASS ("12 OZ UNIDIRECTIONAL")

LAMINATE PER DART QSI 006 4.0

LAMINATION SCHEDULE PER THIS DRAWING

2) FINISH: FINISH INSIDE/OUTSIDE WITH DUPONT HIGHBUILD GREY PRIMER 1144-S

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX


6) IDENTIFICATION: NONE


7) WEIGHT: 7.0 lbs

8) USE MOLD DT8005 FOR DOOR LAYUP

В

DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA					
DRAWN	RF						
CHECKED	(R	DRAWING NO.	REV. E				
MFG. APPR.	1	D3186	SHEET 3 OF 5				
APPROVED	I AM.	TITLE	SCALE				
DE APPR.	-1111-	SPACEPOD DOOR	NTS				
DÀTE 09.0	7.08	COPYRIGHT © 2003 BY DART AEROSPACE LTD THIS OCCUMENT IS PRIVATE AND CONTIDENTIAL AND IS SUPPLED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PROPOSE ON COMPANIONAL TO TO ANY OTHER PEPISON WITHOUT					





,